

氏名：佐野浩一

研究業績（著書・原著・総説）を合わせて10編ご記入ください。

※著書については現物を1冊、原著・総説については、全文の写しを一部同封してください。

※原著論文は第一著者（first author）、最終著者（last author）あるいは責任著者（corresponding author）に限ります。

※原著論文は査読のあるものに限ります。また、IFのあるものに限ります。論文の末尾に（●●●●年、●●点）を付記ください。

※分担執筆した著書は「総説」に分類してください。

※著者氏名の箇所については、本人名にアンダーラインを引いてください。

1. 【総説】佐野浩一：ウイルス学各論。矢野郁也・内山竹彦・熊沢義雄編。病原微生物学。第1版。東京。東京化学同人。2002年。155-161頁。
2. 【総説】佐野浩一 & 島田眞久：医歯系大学の現状と課題。国庫助成に関する全国私立大学教授会連合編、私立大学の未来。初版。東京。大月書店。2004年。105-113頁。
3. 【原著論文】Sano,K., Lee,H.M., Morales,F.E., Nishanian,P., Fahey,J., Detels,R. and Imagawa,D.T.: Antibody that inhibits human immunodeficiency virus reverse transcriptase and association with inability to isolate virus. *J. Clin. Microbiol.* 25: 2415-2417, 1987. (2022年、9.4点)
4. 【原著論文】Urabe,T., Sano,K., Tanno,M., Mizoguchi,J., Otani,M., Lee,M.H., Takasaki,T., Kusakabe,H., Imagawa,D.T. and Nakai,M.: A non-radioisotopic reverse transcriptase assay using biotin-11-deoxyuridine triphosphate on primer immobilized microtiter plates. *J. Virol. Method.* 40: 145-154, 1992. (2022年、3.1点)
5. 【原著論文】Sano,K., Odawara,F., Nakano,T., Morimatsu,S., Nakamura,T., Saitoh,Y., Jiang,Y., Misaki,H., Sakai,Y., and Nakai,M.: Comparable sensitivities for detection of HIV-1 reverse transcriptase (RT) and other polymerases by RT assays requiring no radioisotopic materials. *J. Virol. Methods* 53: 235-244, 1995. (2022年、3.1点)
6. 【原著論文】Kohno, T., Fujioka, Y., Goto, T., Morimatsu, S., Morita, C., Nakano, T. and Sano, K.: Contrast-enhancement for the image of human immunodeficiency virus from ultrathin sections in immunoelectron microscopy. *J. Virol. Methods*, 72:137-143, 1998. (2022年、3.1点)
7. 【原著論文】Morita, C., Sano, K., Morimatsu, S., Kiura,H., Goto, T., Kohno, T., Hong, W., Miyoshi, M., Iwasawa, A., Nakamura, Y., Tagawa, M., Yokosuka, O., Saisho, H., Maeda, T., and Katsuoka, Y.: Disinfective potential against blood-borne pathogenic viruses of electrolyzed solution containing sodium chloride at low concentration. *J. Virol. Methods*, 85:163-174, 2000. (2022年、3.1点)
8. 【原著論文】Hong, W., Morimatsu, S., Goto, T., Kohno, T., Morita, C., Nakano, T., Fujioka, Y. and Sano, K.: Contrast-enhanced immunoelectron microscopy for Helicobacter pylori. *J. Microbiol. Meth.* 42: 121-127, 2000. (2022年、2.2点)
9. 【原著論文】Odawara, F., Abe, H., Kohno, T., Nagai-Fujii, Y., Arai, K., Imamura, S., Misaki, H., Azuma, H., Idebuti, K., Ideda, H., Mohan, S. and Sano, K.: A highly sensitive chemiluminescent reverse transcriptase assay for human immunodeficiency virus. *J. Virol. Methods*, 106: 115-124, 2002. (2022年、3.1点)
10. 【原著論文】Nakajima, N., Nakano, T., Harada, F., Taniguchi, H., Yokoyama, I., Hirose, J., Daikoku, E. and Sano, K.: Disinfection of pooled tap water by reactivation of chlorine. *J. Microbiol. Methods*, 57: 163-173, 2004. (2022年、2.2点)