

教員研究業績 (2013年)

(2013.1.1~12.31)

1. 研究学術論文

著 者	標 題	掲 載 誌
Okitsu T, Yumitate S, Sato K, <u>In Y</u> , Wada A.	Substituent effect of bis(pyridines)iodonium complexes as iodinating reagents: control of the iodocyclization/oxidation process	Chem. -A Eur. J., 19 , 4992-4996 (2013)
Kim Y, <u>In Y</u> , <u>Ishida T</u> , Onaka H, Igarashi Y.	Biosynthetic origin of alchivemycin A, a new polyketide from <i>Streptomyces</i> and absolute configuration of alchivemycin B	Org. Lett., 15 , 3514-3517(2013)
Gorentla BK, Krishna S, Shin J, Inoue M, Shinohara ML, Grayson JM, <u>Fukunaga R</u> , Zhong XP.	Mnk1 and 2 are dispensable for T cell development and activation but important for the pathogenesis of experimental autoimmune encephalomyelitis	J. Immunol., 190 , 1026-1037 (2013)
Shi Y, Frost P, Hoang B, Yang Y, <u>Fukunaga R</u> , Gera J, Lichtenstein A.	MNK kinases facilitate c-myc IRES activity in rapamycin-treated multiple myeloma cells	Oncogene, 32 , 190-197(2013)
Funahashi T, Tanabe T, <u>Miyamoto K</u> , <u>Tsujibo H</u> , Maki J, Yamamoto S.	Characterization of a gene encoding the outer membrane receptor for ferric enterobactin in <i>Aeromonas hydrophila</i> ATCC 7966(T)	Biosci. Biotechnol. Biochem., 77 , 353-360(2013)
Kobayashi T, Hirose J, Wu H, Sano K, Katsumata T, <u>Tsujibo H</u> , Nakano T.	Application of electrolysis for inactivation of an antiviral drug that is one of possible selection pressure to drug-resistant influenza viruses	J. Virol. Methods., 194 , 154-160 (2013)
<u>Kawano H</u> , <u>Miyamoto K</u> , Sakaguchi I, Myojin T, Moriwaki M, <u>Tsuchiya T</u> , Tanabe T, Yamamoto S, <u>Tsujibo H</u> .	Role of periplasmic binding proteins, FatB and VatD, in the vulnibactin utilization system of <i>Vibrio vulnificus</i> M2799	Microb. Pathog., 65 , 73-81 (2013)
Funahashi T, Tanabe T, Maki J, <u>Miyamoto K</u> , <u>Tsujibo H</u> , Yamamoto S.	Identification and characterization of a cluster of genes involved in biosynthesis and transport of acinetoferrin, a siderophore produced by <i>Acinetobacter haemolyticus</i> ATCC 17906T	Microbiology, 159 , 678-690 (2013)
<u>Azuma T</u> , Nakada N, Yamashita N, Tanaka H.	Mass Balance of Anti-influenza Drugs Discharged into the Yodo River System, Japan, under an Influenza Outbreak	Chemosphere, 93 , 1672-1677 (2013)
Yamada T, Noguchi Y, Nakai M, Yamauchi O, Nakabayashi Y, <u>Sato T</u> , Tamai Y, <u>Chikuma M</u> , <u>Mino Y</u> .	Solvolytic and cytotoxicity of dinuclear ruthenium(II)-2,2'-bipyridine complexes with various bridged-ligands	Inorg. Chim. Acta, 394 , 190-195 (2013)
Uemura M, Yoshikawa Y, <u>Sato T</u> , <u>Mino Y</u> , <u>Chikuma M</u> , <u>Komeda S</u> .	Second- and higher-order structural changes of DNA induced by antitumor-active tetrazolato-bridged dinuclear platinum(II) complexes with different types of 5-substituent	J. Inorg. Biochem., 127 , 169-174 (2013)
Demizu Y, Nagoya S, Shirakawa M, Kawamura M, Yamagata N, Sato Y, <u>Doi M</u> , Kurihara M.	Development of stapled short helical peptides capable of inhibiting vitamin D receptor (VDR)-coactivator interactions	Bioorg. Med. Chem. Lett., 23 , 4292-4296(2013)
Yamazaki N, Demizu Y, Sato Y, <u>Doi M</u> , Kurihara M.	Helical Foldamer Containing a Combination of Cyclopentane-1,2-diamine and 2,2-Dimethylmalonic Acid	J. Org. Chem., 78 , 9991-9994 (2013)
Demizu Y, Yamashita H, Yamazaki N, Sato Y, <u>Doi M</u> , Tanaka M, Kurihara M.	Oligopeptides with Equal Amounts of L- and D-Amino Acids May Prefer a Helix Screw Sense	J. Org. Chem., 78 , 12106-12113 (2013)
Oba M, Shimabukur A, Ono M, <u>Doi M</u> , Tanaka M.	Synthesis of both enantiomers of cyclic methionine analogue: (R)- and (S)-3-aminotetrahydrothiophene-3-carboxylic acids	Tetrahedron: Asymmetry, 24 , 464-467(2013)
Matsuda T, <u>Sakaguchi M</u> , Tanaka S, Yoshimoto T, <u>Takaoka M</u> .	Prolyl oligopeptidase is a glyceraldehyde-3-phosphate dehydrogenase-binding protein that regulates genotoxic stress-induced cell death	Int. J. Biochem. Cell Biol., 45 , 850-857(2013)
<u>Harusawa S</u> , Sawada K, Magata T, <u>Yoneyama H</u> , Araki L, <u>Usami Y</u> , Hatano K, Yamamoto K, Yamamoto D, Yamatodani A.	Synthesis and evaluation of N-alkyl-S-[3-(piperidin-1-yl)propyl] isothioureas: High affinity and human/rat species-selective histamine H3 receptor antagonists Using Microwave Irradiation and Their Applications	Bioorg. Med. Chem. Lett., 23 , 6415-6420(2013)

著 者	標 題	掲 載 誌
<u>Yoneyama H</u> , <u>Usami Y</u> , <u>Komeda S</u> , <u>Harusawa S</u> .	Efficient Transformation of Inactive Nitriles into 5-Substituted 1H-Tetrazoles Using Microwave Irradiation and Their Applications	Synthesis, 45 , 1051-1059(2013)
<u>Wada S</u> , <u>Hashimoto Y</u> , <u>Kawai Y</u> , <u>Miyata K</u> , <u>Tsuda H</u> , <u>Nakagawa O</u> , <u>Urata H</u> .	Effect of Ala replacement with Aib in amphipathic cell-penetrating peptide on oligonucleotide delivery into cells	Bioorg. Med. Chem., 21 , 7669-7673(2013)
<u>Urata H</u> , <u>Ogawa S</u> , <u>Wada S</u> .	Thermal stability of oligodeoxynucleotide duplexes containing L-deoxynucleotide at termini	Bioorg. Med. Chem. Lett., 23 , 2909-2911(2013)
<u>Alam MR</u> , <u>Ming X</u> , <u>Nakagawa O</u> , <u>Jin J</u> , <u>Juliano RL</u> .	Covalent conjugation of oligonucleotides with cell-targeting ligands	Bioorg. Med. Chem., 21 , 6217-6223(2013)
<u>Ochi Y</u> , <u>Nakagawa O</u> , <u>Sakaguchi K</u> , <u>Wada S</u> , <u>Urata H</u> .	A post-synthetic approach for the synthesis of 2'-O-methylthiomethyl-modified oligonucleotides responsive to a reducing environment	Chem. Commun., 49 , 7620-7622(2013)
<u>Kikuchi T</u> , <u>Pan X</u> , <u>Ishii K</u> , <u>Nakamura Y</u> , <u>Ogihara E</u> , <u>Koike K</u> , <u>Tanaka R</u> , <u>Akihisa T</u> .	Cytotoxic and apoptosis-inducing activities of 12-O-acetylatedarachin B from the fruits of Melia azedarach in human cancer cell lines	Biol. Pharm. Bull., 36 , 135-139(2013)
<u>Ukiya M</u> , <u>Sawada S</u> , <u>Kikuchi T</u> , <u>Kushi Y</u> , <u>Fukatsu M</u> , <u>Akihisa T</u> .	Cytotoxic and apoptosis-inducing activities of steviol and isosteviol derivatives against human cancer cell lines	Chem. Biodivers., 10 , 177-188(2013)
<u>Sakamoto A</u> , <u>Tanaka Y</u> , <u>Inoue T</u> , <u>Kikuchi T</u> , <u>Kajimoto T</u> , <u>Muraoka O</u> , <u>Yamada T</u> , <u>Tanaka R</u> .	Andirolides Q-V from the flower of andiroba (Carapa guianensis, Meliaceae)	Fitoterapia, 90 , 20-29(2013)
<u>Kikuchi T</u> , <u>Takebayashi M</u> , <u>Shinto M</u> , <u>Yamada T</u> , <u>Tanaka R</u> .	Three new multiflorane-type triterpenes from pumpkin (Cucurbita maxima) seeds	Molecules, 18 , 5568-5579(2013)
<u>Tanaka R</u> , <u>Kikuchi T</u> , <u>Nakasuji S</u> , <u>Ue Y</u> , <u>Shuto D</u> , <u>Igarashi K</u> , <u>Okada R</u> , <u>Yamada T</u> .	A novel 3-p-nitrobenzoylmultiflora-7:9(11)-diene-29-benzoate and two new triterpenoids from the seeds of zucchini (Cucurbita pepo L.)	Molecules, 18 , 7448-7459(2013)
<u>Kikuchi T</u> , <u>Okada R</u> , <u>Harada Y</u> , <u>Ikushima K</u> , <u>Yamakawa T</u> , <u>Yamada T</u> , <u>Tanaka R</u> .	Cucurbitane-type triterpenes from Citrullus lanatus (watermelon)	Nat. Prod. Commun., 8 , 1367-1369(2013)
<u>Inoue T</u> , <u>Matsui Y</u> , <u>Kikuchi T</u> . In <u>Y. Yamada T</u> , <u>Muraoka O</u> , <u>Matsunaga S</u> , <u>Tanaka R</u> .	Guianolides A and B, new carbon skeletal limonoids from the seeds of Carapa guianensis	Org. Lett., 15 , 3018-3021(2013)
<u>Akihisa T</u> , <u>Pan X</u> , <u>Nakamura Y</u> , <u>Kikuchi T</u> , <u>Takahashi N</u> , <u>Matsumoto M</u> , <u>Ogihara E</u> , <u>Fukatsu M</u> , <u>Koike K</u> , <u>Tokuda H</u> .	Limonoids from the fruits of Melia azedarach and their cytotoxic activities	Phytochemistry, 89 , 59-70(2013)
<u>Amagata T</u> , <u>Tanaka M</u> , <u>Yamada T</u> , <u>Chen Y-P</u> , <u>Minoura K</u> , <u>Numata A</u>	Additional cytotoxic substances isolated from the sponge-derived Gymnascella dankaliensis	Tetrahedron Lett., 54 , 5960-5962(2013)
<u>Saeki D</u> , <u>Yamada T</u> , In <u>Y. Kajimoto T</u> , <u>Tanaka R</u> , <u>Iizuka Y</u> , <u>Nakane T</u> , <u>Takano A</u> , <u>Masuda K</u> .	Officinatrione: an unusual (17S)-17,18-seco-lupane skeleton, and four novel lupane-type triterpenoids from the roots of Taraxacum officinale	Tetrahedron, 69 , 1583-1589(2013)
<u>Nakanishi K</u> , <u>Doi M</u> , <u>Usami Y</u> , <u>Amagata T</u> , <u>Minoura K</u> , <u>Tanaka R</u> , <u>Numata A</u> , <u>Yamada T</u> .	Anthcolorins A-F, novel cytotoxic metabolites from a sea urchin-derived Aspergillus versicolor	Tetrahedron, 69 , 4617-4623(2013)
<u>Hayashi H</u> , <u>Fujii I</u> , <u>Iinuma M</u> , <u>Shibano M</u> , <u>Ozaki K</u> , <u>Watanabe H</u> .	Characterization of a glycyrrhizin-deficient strain of Glycyrrhiza uralensis	Biol. Pharm. Bull., 36 , 1448-1453(2013)
<u>Kimura Y</u> , <u>Sumiyoshi M</u> , <u>Sakanaka M</u> , <u>Taniguchi M</u> , <u>Baba K</u> .	In vitro and In vivo Antiproliferative Effect of a Combination of Ultraviolet-A and Alkoxy Furocoumarins Isolated from Umbelliferae Medicinal Plants, in Melanoma Cells	Photochem. Photobiol., 89 , 1216-1225(2013)

著 者	標 題	掲 載 誌
Hirata M, Kanai Y, Naka S, Yoshimoto M, Kagawa S, Matsumuro K, Katsuma H, Yamaguchi H, Magata Y, Ohmomo Y.	A useful EGFR-TK ligand for tumor diagnosis with SPECT: development of radioiodinated 6-(3-morpholinopropoxy)-7-ethoxy-4-(3'-iodophenoxy) quinazoline	Ann. Nucl. Med., 27 , 431-443(2013)
Hui Jun Zhu, Ogawa M, Magata Y, Hirata M, Ohmomo Y, Namba H, Sakahara H.	Assessment of epidermal growth factor receptor status in glioblastomas	Asia Oceania J. Nucl. Med. Biol., 1 , 47-52(2013)
Arimitsu K, Kimura H, Kajimoto T, Ono M, Ohmomo Y, Yamashita M, Node M, Saji H.	Novel design and synthesis of a radioiodinated glycolipid analog as an acceptor substrate for N-acetylglucosaminyltransferase V	J. Label. Compd. Radiopharm., 56 , 562-572(2013)
Sugiyama N, Minami N, Ishii Y, Amano F	Inhibition of Lon protease by bacterial lipopolisaccharide (LPS) though inhibition of ATPase	Adv. Biosci. Biotechnol., 4 , 590-598(2013)
Yasuda K, Cline CB, Vogel P, Onciu M, Fatima S, Sorrentino BP, Thirumaran RK, Ekins S, Urade Y, Fujimori K, Schuetz EG.	Drug transporters on arachnoid barrier cells contribute to the blood-cerebrospinal fluid barrier	Drug Metabol. Dispos., 41 , 923-931(2013)
Fujimori K, Shibano M.	Avicularin, a plant flavonoid, suppresses lipid accumulation through repression of C/EBP β -activated GLUT4-mediated glucose uptake in 3T3-L1 cells	J. Agric. Food Chem., 61 , 5139-5147(2013)
Morishige Y, Fujimori K, Amano F.	Differential resuscitative effect of pyruvate and its analogues on VBNC (Viable But Non-Culturable) Salmonella	Microbes Environ., 28 , 180-186(2013)
Fukumoto T, Tawa M, Yamashita N, Ohkita M, Matsumura Y.	Protective effects of 17 β -estradiol on post-ischemic cardiac dysfunction and norepinephrine overflow through the non-genomic estrogen receptor/nitric oxide-mediated pathway in the rat heart	Eur. J. Pharmacol., 699 , 74-80(2013)
Koyama T, Tawa M, Yamagishi N, Tsubota A, Sawano T, Ohkita M, Matsumura Y.	Role of superoxide production in post-ischemic cardiac dysfunction and norepinephrine overflow in rat hearts	Eur. J. Pharmacol., 711 , 36-41(2013)
Tanaka R, Tsutsui H, Ohkita M, Takaoka M, Yukimura T, Matsumura Y.	Sex differences in ischemia/reperfusion-induced acute kidney injury are dependent on the renal sympathetic nervous system	Eur. J. Pharmacol., 714 , 397-404(2013)
Tsutsui H, Sugiura T, Hayashi K, Yukimura T, Ohkita M, Takaoka M, Matsumura Y.	Protective effect of moxonidine on ischemia/reperfusion-induced acute kidney injury through α_2 /imidazoline I $_1$ receptor	Eur. J. Pharmacol., 718 , 173-180(2013)
Tsutsui H, Tanaka R, Yamagata M, Yukimura T, Ohkita M, Matsumura Y.	Protective effect of ischemic preconditioning on ischemia/reperfusion-induced acute kidney injury through sympathetic nervous system in rats	Eur. J. Pharmacol., 718 , 206-212(2013)
Kosaka S, Pelisch N, Rahman M, Nakano D, Hitomi H, Kobori H, Fukuoka N, Kobara H, Mori H, Masaki T, Cervenka L, Matsumura Y, Houchi H, Nishiyama A.	Effects of angiotensin II AT $_2$ -receptor blockade on high fat diet-induced vascular oxidative stress and endothelial dysfunction in Dahl salt-sensitive rats	J. Pharmacol. Sci., 121 , 95-102(2013)
Tanaka R, Takayama J, Takaoka M, Sugino Y, Ohkita M, Matsumura Y.	Oligomycin, an F $_1$ F $_0$ -ATPase inhibitor, protects against ischemic acute kidney injury in male but not in female rats	J. Pharmacol. Sci., 123 , 227-234(2013)
Harada Y, Nagao Y, Shimizu S, Serikawa T, Terada R, Fujimoto M, Okuda A, Mukai T, Sasa M, Kurachi Y, Ohno Y.	Expressional analysis of inwardly rectifying Kir4.1 channels in Noda epileptic rat (NER)	Brain Res., 1517 , 141-149(2013)
Nagao Y, Harada Y, Mukai T, Shimizu S, Okuda A, Fujimoto M, Ono A, Sakagami Y, Ohno Y.	Expressional analysis of the astrocytic Kir4.1 channel in a pilocarpine-induced temporal lobe epilepsy model	Front. Cell. Neurosci., 7 , 1-10(2013)

著 者	標 題	掲 載 誌
Mukai T, Nagao Y, Nishioka S, Hayashi T, Shimizu S, Ono A, Sakagami Y, Watanabe S, Ueda Y, Hara M, Tokudome K, Kato R, Matsumura Y, Ohno Y.	Preferential suppression of limbic Fos expression by intermittent hypoxia in obese diabetic mice	Neurosci Res., 77 , 202-207 (2013)
Shimizu S, Mizuguchi Y, Tataru A, Kizu T, Andatsu S, Sobue A, Fujiwara M, Morimoto T, Ohno Y.	5-HT _{1A} agonist alleviates serotonergic potentiation of extra-pyramidal disorders via postsynaptic mechanisms	Prog. Neuro-Psychopharmacol. Biol. Psychiatry, 46 , 86-91 (2013)
Iwanaga K, Kato S, Miyazaki M, Kakemi M.	Enhancing the intestinal absorption of poorly water-soluble weak-acidic compound by controlling local pH	Drug. Dev. Ind. Pharm., 39 , 1887-1894(2013)
Iwanaga K, Honjo T, Miyazaki M, Kakemi M.	Time-dependent changes in hepatic and intestinal induction of cytochrome P450 3A after administration of dexamethasone to rats	Xenobiotica, 43 , 765-773(2013)
Tsukamoto T, Hironaka K, Fujisawa T, Yamaguchi D, Tahara K, Tozuka Y, Takeuchi H.	Preparation of bromfenac-loaded liposomes modified with chitosan for ophthalmic drug delivery and evaluation of physicochemical properties and drug release profile	Asian J. Pharm. Sci., 8 , 104-109 (2013)
Hoashi Y, Tozuka Y, Takeuchi H.	Development of a novel and simple method to evaluate disintegration of rapid disintegrating tablets	Chem. Pharm. Bull., 61 , 962-966 (2013)
Sasaki H, Hironaka K, Karasawa K, Tahara K, Tozuka Y, Takeuchi H.	Retinal drug delivery in surface-modified liposome with poly-L-lysine via eyedrop administration	Eur. J. Pharm. Biopharm., 83 , 364-369(2013)
Ueda H, Kawai A, Hayashi T, Ida Y, Kakemi M, Tozuka Y.	Process monitoring of ultrasound compaction as a small-scale melting method	Eur. J. Pharm. Sci., 49 , 829-835 (2013)
Hoashi Y, Tozuka Y, Takeuchi H.	A completely solvent-free process for the improvement of erythritol compactibility	Int. J. Pharm., 455 , 132-137 (2013)
Murata M, Yonamine T, Tanaka S, Tahara K, Tozuka Y, Takeuchi H.	Surface modification of liposomes using polymer-wheat germ agglutinin conjugates to improve the absorption of peptide drugs by pulmonary administration	J. Pharm. Sci., 102 , 1281-1289 (2013)
Tozuka Y, Imono M, Uchiyama H, Tahara K, Tazawa S, Araki Y, Takeuchi H.	Dry powder formulation with α -glycosyltransferase-treated stevia for the effective absorption of hydrophobic bioactive compounds in crude drugs	Powder Tech., 240 , 2-6(2013)
門田和紀, 白川善幸, 権田和樹, 村田修都, 戸塚裕一, 下坂厚子, 日高重助	噴霧晶析プロセスを利用した有機・無機複合粒子の作製	粉体工学会誌, 50 , 790-796 (2013)
Tanaka S, Tanaka R, Harada S, Kohda Y, Matsumura H, Shimamoto C, Sawabe Y, Marunaka Y, Kuwabara H, Takahashi Y, Ito S, Nakahari T	A PKG inhibitor increases Ca(2+)-regulated exocytosis in guinea pig antral mucous cells: cAMP accumulation via PDE2A inhibition	Am. J. Physiol. Gastrointest Liver Physiol., 304 , G773-780(2013)
Narumoto O, Niikura Y, Ishii S, Morihara H, Okashiro S, Nakahari T, Nakano T, Matsumura H, Shimamoto C, Moriwaki Y, Misawa H, Yamashita N, Nagase T, Kawashima K, Yamashita N.	Effect of secreted lymphocyte antigen-6/urokinase-type plasminogen activator receptor-related peptide-1 (SLURP-1) on airway epithelial cells	Biochem. Biophys. Res. Commun., 438 , 175-179 (2013)
Harada S, Tanaka S, Takahashi Y, Matsumura H, Shimamoto C, Nakano T, Kuwabara H, Sawabe Y, Nakahari T.	Inhibition of Ca(2+)-regulated exocytosis by levetiracetam, a ligand for SV2A, in antral mucous cells of guinea pigs	Eur. J. Pharmacol., 721 , 185-192 (2013)

著 者	標 題	掲 載 誌
Fujita S, Shimojo N, Terasaki F, Otsuka K, Hosotani N, Kohda Y, Tanaka T, Nishioka T, Yoshida T, Hiroe M, Kitaura Y, Ishizaka N, Imanaka-Yoshida K.	Atrial natriuretic peptide exerts protective action against angiotensin II-induced cardiac remodeling by attenuating inflammation via endothelin-1/endothelin receptor A cascade	Heart Vessels, 28 , 646-657 (2013)
奥原孝幸, 藤澤尚子, 宮下裕之, 川畑 啓, 松村人志	通院中の統合失調症患者に対する精神科作業療法における集団認知行動療法の実践	神奈川作業療法研究, 3 , 13-19 (2013)
奥原孝幸, 奥平智之, 松村人志	入院中の統合失調症患者への集団認知行動療法の有効性に関する検討	認知療法研究, 6 , 43-54(2013)
Nishioka S, Yoshioka T, Nomura A, Kato R, Miyamura M, Okada Y, Ishizaka N, Matsumura Y, Hayashi T.	Celiprolol reduces oxidative stress and attenuates left ventricular remodeling induced by hypoxic stress in mice	Hypertens Res., 36 , 934-939 (2013)
Miyachi K, Hoshino M, Kadobayashi H, Moriyama K, Asano M, Yamaguchi T, Fujita Y.	Fluorophotometric determination of histone with 3,4,5,6-tetrafluoro-2-carboxyphenylfluorone-manganese(II) complex and its characterization	Chem. Pharm. Bull., 61 , 379-383 (2013)
森川祥彦, 恩田光子, 岡本昌樹, 藤井睦子, 的場俊哉, 三原 愛, 荒川行生	咳に対する生活者の OTC 医薬品購入の実態と薬剤師の課題	Clinical Pharmacist, 5 , 102-103 (2013)
Onda M, Imai H, Kataoka Y, Takamatsu M, Tanaka M, Tanaka H, Nanaumi Y, Arakawa Y.	Preliminary Study about the Relationship between Workload and the Outcomes of Community Pharmacists ' Home Visiting Service	Jpn. J. Soc. Pharm., 32 , 2-7 (2013)
櫻井秀彦, 恩田光子, 中川明子, 藤本佳乃子, 奥田勅子, 岡山浩之, 荒川行生, 早瀬幸俊	保険薬局における調剤ミス要因の定量的分析	医薬品情報学, 15 , 118-123 (2013)
庄司雅紀, 恩田光子, 岡田 浩, 大久保賢人, 小田智晴, 加藤紗希, 坂根直樹	保険薬局来局患者の経口血糖降下薬の服薬条件とアドヒアランスの関連について	薬と糖尿病, 2 , 104-108(2013)
Yamaoki R, Kimura S, Ohta M.	ESR characterization of irradiated peony root, a medicinal plant containing crystalline sugars	Radioisotopes, 62 , 631-637 (2013)
楠瀬健昭	ブライト・ソネットの影	とい, XXXII, 1-3(2013)
宗前清貞	補助線としての雇用 福祉レジーム論の批判的検討	レヴァイアサン, 53 , 117-124 (2013)

2. 総説, 他

著 者	標 題	掲 載 誌
土屋孝弘, 宮本勝城, 辻坊 裕	抗菌薬存在下における耐性乳酸菌と酪酸菌の腸内での生存について	医学と薬学, 69 , 921-927(2013)
Imanishi A, Oba M, Demizu Y, Kurihara M, Doi M, Takazaki H, Suemune H, Tanaka M.	Synthesis of chiral five-membered ring amino acids with an azido group, and their peptides	Peptide Sci. 2012, 49th , 131-132 (2013)
Wada S, Hashimoto Y, Tsuda H, Nakagawa O, Urata H.	Designed Aib-containing amphipathic helix peptide for oligonucleotide delivery into cells	Peptide Science, 49th , 235-236 (2013)
芝野真喜雄	ウラルカンゾウ (Glycyrrhiza uralensis) の国内栽培を目指して	特産種苗, 16 , 47-49(2013)

著 者	標 題	掲 載 誌
天野富美夫	6年制薬学教育とキャリア教育	ファルマシア, 49 , 1147(2013)
Kolettis TM, Barton M, Langleben D, Matsumura Y.	Endothelin in coronary artery disease and myocardial infarction	Cardiol Rev., 21 , 249-256(2013)
Shimizu S, Ohno Y.	Improving the treatment of Parkinson's disease: A novel approach by modulating 5-HT _{1A} receptors	Aging Dis., 4 , 1-13(2013)
Ohno Y, Shimizu S, Tokudome K.	Pathophysiological roles of serotonergic system in regulating extrapyramidal motor functions	Biol. Pharm. Bull., 36 , 1396-1400(2013)
Shimizu S, Mizuguchi Y, Ohno Y.	Improving the treatment of schizophrenia: Role of 5-HT receptors in modulating cognitive and extrapyramidal motor functions	CNS Neurol. Disord. Drug Targets, 12 , 861-869(2013)
Nomura A, Nishioka S, Uehashi W, Kato R, Okada Y, Ishizaka N, Matsumura Y, Hayashi T.	Celiprolol, but not atenolol, reduces oxidative stress and attenuates cardiac remodeling induced by intermittent hypoxia in mice	J. Am. Col. Cardiol., 61 , (Suppl A) A158(2013)
Hannya N, Miyachi W, Yamada H, Maeda S, Tearada T, Kawata R, Takenaka H, Kato R, Ijiri Y, Takana K, Hayashi T, Yamaji J, Yoshida R, Kubota T.	No allergen-specific IgE production by the 2nd s.c. injection of Mite-Dp feces after total IgE production by the 1st i.n. injection into mice	J. Physiol. Sci., 63 , (Suppl 1) S249(2013)
Fujiwara Y, Nomura A, Kato R, Miyamura M, Ijiri Y, Ishizama N, Hayashi T.	Azilsartan reduces oxidative stress and attenuates cardiac remodeling induced by hypoxia in rats	J. Cardiac. Failure., 19 (Suppl 1): S165(2013)
恩田光子	認知症の在宅療養現場から見るチーム医療における薬剤師の役割	Proprietor, No.5, 1- 3, (2013)
藤嶽美穂代, 春沢信哉	LSI/FAB を用いるヌクレオシドホスホロアミダイトのマススペクトル測定	薬学雑誌, 133 , 823-841(2013)

3. 解 説

著 者	標 題	掲 載 誌
戸塚裕一	ナノ集合体形成を利用した難水溶性化合物の可溶化	Colloid. Interface Commun., 38 , 13-15 (2013)
鈴木千弘, 原田沙枝子, 松村人志, 島本史夫, 中張隆司	Ambroxol による細気管支線毛運動の活性化	分子呼吸器病, 17 , 123-126(2013)
加藤隆児, 井尻好雄, 林 哲也	キックリンカプセル250mg	調剤と情報, 19 , 565-571(2013)
加藤隆児, 井尻好雄, 林 哲也	シーブリ吸入用カプセル50μg	調剤と情報, 19 , 954-960(2013)
加藤隆児, 井尻好雄, 林 哲也	アコファイド錠100mg	調剤と情報, 19 , 1519-1545(2013)

4. 紀 要

著 者	標 題	掲 載 誌
松下奈央, 北筋広美, 松下英樹, 坂口 実, 松村瑛子	アルツハイマー様記憶障害モデルラットにおける免疫機能の 変化	大阪薬科大学紀要, 7, 99-107 (2013)
春沢信哉, 米山弘樹, 宇佐美吉英	マイクロ波を活用したいくつかの生体機能分子の合成	大阪薬科大学紀要, 7, 109-127 (2013)
水木晃司, 宇佐美吉英	閉環メタセシスを用いる D-リボースからの pericosine 類の 合成	大阪薬科大学紀要, 7, 129-142 (2013)
宗前清貞	行政改革は福祉政策に何をもたらしたか 自治体ガバナンス の現状と課題ー	琉球大学法文学部紀要 政策科 学・国際関係論集, 15, 61-89 (2013)
阪本恭子	薬学教育における医療総合人間学の位置づけ ヒューマニティ 教育とコミュニケーション教育を中心に	大阪薬科大学紀要, 7, 13-20 (2013)
永田 誠, 武井由智	拡散を連想させるある離散モデルの裾確率について	大阪薬科大学紀要, 7, 33-39 (2013)

5. 著 書

著 者	標 題	図 書
福永理己郎	第1章 (1) G-CSF および G-CSFR の構造と機能	G-CSF (顆粒球コロニー刺激因 子) の基礎と臨床, 医薬ジャー ナル社, 16-27(2013)
宇佐美吉英	第8章 アルケンとアルキン II: 付加反応	基礎有機化学問題集, 廣川書 店 (2013)
浦田秀仁	第17章 カルボン酸とその誘導体	基礎有機化学問題集, 廣川書 店 (2013)
芝野真喜雄	甘草 (カンゾウ) の栽培法 ~ 甘草の国内生産・安定生産への 挑戦 ~	情報機構 (2013)
芝野真喜雄	甘草のフラボノイド成分含量と栽培年数について	甘草研究最前線 2013, 81-83 (2013)
芝野真喜雄, 谷口雅彦, 馬場きみ 江 (分担)	薬用植物学	薬用植物学, 南江堂 (2013)
天野富美夫	疾病の予防と対策	衛生薬学 (第3版), 朝倉書店 (2013)
天野富美夫	感染症とその予防対策、食品による健康障害、食品成分の変 質、食品に由来する疾病の各論	第5版 衛生薬学 - 健康と環 境 -, 丸善 (2013)
藤森 功	病態生化学 解明	京都廣川書店 (2013)
田中亮輔, 山本真也, 渡辺文太, 平竹 潤, 大喜多守, 松村靖夫	虚血性急性腎障害に対する新規選択的 γ -glutamyl transpep- tidase 阻害薬 GGsTop TM の改善効果について	腎とフリーラジカル, 11, 146-149(2013)
河合悦子	薬剤性腎・泌尿器障害	図解 薬害・副作用学, 144-157(2013)
Shimizu S, Ohno Y.	5-HT _{1A} receptors as a therapeutic target for Parkinson 's disease	Emerging Drugs and Targets for Parkinson 's Disease edited by A. Martinez and C. Gil, RSC Pu- blishing, Cambridge, 306-324 (2013)

著 者	標 題	図 書
Ohno Y, Shimizu S, Imaki J, Masui A, Tataru A.	Management of antipsychotic-induced extrapyramidal motor disorders: Regulatory roles of the serotonergic nervous system	“ Antipsychotic Drugs: Pharmacology, Side Effects and Abuse Prevention ”edited by T. L. Schwartz, M. Topel and J. L. Menga, Nova Science Publishers, Inc., NY, 219-234(2013)
大野行弘	第2章 臓器における代表的な副作用 3. 薬剤性精神障害	“ 図解 薬害・副作用学 ”, 川西正祐, 小野秀樹, 賀川義之(編), 南山堂 158-169(2013)
掛見正郎, 戸塚裕一 (共著)	広義 製剤学	京都廣川書店 (2013)
朝倉英策, 島本史夫, 他	第107回医師国家試験問題解説書	国試107 第107回医師国家試験問題解説書(2013)
島本史夫, 他	CBT こあかり 2014 リ・コ 最新問題篇	CBT こあかり 2014(2013)
朝倉英策, 島本史夫, 他	あなむね	国試カンファランス (2013)
青木達哉, 島本史夫, 他	主要症候・医療面接がわかる	シリーズこあかり plus (2013)
宗前清貞	専門性の政治過程 - 現代政治における医療政策の位相 -	現代日本政治の争点, 法律文化社, 54-73(2013)
恩田光子	薬剤師法、地域薬局・薬剤師、医療の担い手としての心構え 他	薬事法規・制度・倫理マニュアル(改訂11版), 南山堂(2013)
恩田光子	地域医療の役割	これからの社会薬学(改訂第2版), 南江堂 (2013)
恩田光子	アメリカにおける調査結果	諸外国の薬剤給付制度と動向(改訂版), 薬事日報社 (2013)
恩田光子	なぜ薬剤師が薬剤経済学を学ぶのか、社会保障制度 他	詳説 薬剤経済学 - 限られる社会資源から最高の医療を(改訂第2版), 京都廣川書店(2013)
野口ジュディー, 神前陽子, スミス朋子, 天ヶ瀬葉子	はじめての薬学英語	講談社 (2013)

6. 特 許

著 者	標 題	特許番号
芝野真喜雄, 竹内一男, 久保弘亨	酒粕エキス	特開 2013-12924 (2013)
秋久俊博, 深津 誠, 菊地 崇, 渡邊賢介, 山本亜矢子	美白剤	JP2013032307 (2013)