

教員研究業績 (2012年)

(2012.1.1~12.31)

1. 研究学術論文

著 者	標 題	掲 載 誌
Paku KS, Umenaga Y, Usui T, Fukuyo A, Mizuno A, In Y, Ishida T, Tomoo K	A conserved motif within the flexible C-terminus of the translational regulator 4E-BP is required for tight binding to the mRNA cap-binding protein eIF4E.	Biochem. J., 441 , 237-245 (2012)
Sogawa K, Okuda R, In Y, Ishida T, Taniguchi T, Minoura K, Tomoo K	C-H ... π interplay between Ile308 and Tyr310 residues in the third repeat of microtubule binding domain is indispensable for self-assembly of three-and four-repeat tau.	J. Biochem., 152 , 221-229 (2012)
Sharma B, Joshi S, Sassano A, Majchrzak B, Kaur S, Aggarwal P, Nabet B, Bulic M, Stein BL, McMahon B, Baker DP, Fukunaga R, Altman JK, Licht JD, Fish EN, Platanias LC	Sprouty proteins are negative regulators of interferon (IFN)-signaling and IFN-inducible biological responses.	J. Biol. Chem., 287 , 42352-42360 (2012)
Funahashi T, Tanabe T, Miura K, Miyamoto K, Tsujibo H, Yamamoto S	Identification and characterization of an outer membrane receptor gene in <i>Acinetobacter baumannii</i> required for utilization of desferricoprogen, rhodotorulic acid, and desferrioxamine B as xenosiderophores.	Biol. Pharm. Bull., 35 , 753-760 (2012)
Tsuchiya T, Nakao N, Yamamoto S, Hirai Y, Miyamoto K, Tsujibo H	NK1.1(+) cells regulate neutrophil migration in mice with <i>Acinetobacter baumannii</i> pneumonia.	Microbiol. Immunol., 56 , 107-116 (2012)
Tanabe T, Funahashi T, Shiuchi K, Okajima N, Nakao H, Miyamoto K, Tsujibo H, Yamamoto S	Characterization of <i>Vibrio parahaemolyticus</i> genes encoding the systems for utilization of enterobactin as a xenosiderophore.	Microbiol., 158 , 2039-2049 (2012)
Azuma T, Nakada N, Yamashita N, Tanaka H	Synchronous Dynamics of Observed and Predicted Values of Anti-influenza drugs in Environmental Waters during a Seasonal Influenza Outbreak.	Environ. Sci. Technol., 46 , 12873-12881 (2012)
Asano A, Doi M	The desoxazoline asidiacyclamide analogue cyclo(Gly-Thr-D-Val-Thz-Ile-Thr-D-Val-Thz) acetonitrile monosolvate.	Acta Cryst., E68 , o54 (2012)
Demizu Y, Doi M, Kurihara M, Maruyama T, Suemune H, Tanaka M	One-handed helical screw direction of homopeptide foldamer exclusively induced by cyclic α-amino acid side-chain chiral centers.	Chem. Eur. J., 18 , 2430-2439 (2012)
Anan K, Demizu Y, Oba M, Kurihara M, Doi M, Suemune H, Tanaka M	Helical structures of bicyclic α-amino acid homochiral oligomers with the stereogenic centers at the side-chain fused-ring junctions.	Helv. Chim. Acta., 95 , 1694-1713 (2012)
Demizu Y, Nagoya S, Doi M, Sato Y, Tanaka M, Kurihara M	Twisted structure of a cyclic hexapeptide containing a combination of alternating L-Leu-D-Leu-Aib segments.	J. Org. Chem., 77 , 9361-9365 (2012)
Demizu Y, Yabuki YU, Doi M, Sato Y, Tanaka M, Kurihara M	Conformations of helical Aib peptides containing a pair of L-amino acid and D-amino acid.	J. Pept. Sci., 18 , 466-475 (2012)
Usami Y, Watanabe R, Fujino Y, Shibano M, Ishida C, Yoneyama H, Harusawa S, Ichikawa H	Divergent Synthesis and Evaluation of Inhibitory Activities against Cyclooxygenases-1 and-2 of Natural Withasomnines and Analoguesrecognition.	Chem. Pharm. Bull., 60 , 1550-1560 (2012)
Harusawa S, Yoneyama H, Fujisue D, Nishiura M, Fujitake M, Usami Y, Zheng-yun Zhao, Scott A. McPhee, Timothy J. Wilson, David M.J. Lilley	Synthesis of novel tetrazole C5-linked C0-and C2-ribonucleoside Phosphoramidites Using MePOM and POM groups for probing RNA catalysis.	Tetrahedron Lett., 53 , 5891-5894 (2012)
Funai T, Miyazaki Y, Aotani M, Yamaguchi E, Nakagawa O, Wada S., Torigoe H, Ono A, Urata H	Ag(I) ion mediated formation of a C-A mispair by DNA polymerases.	Angew. Chem. Int. Ed., 51 , 6464-6466 (2012)

教員研究業績(2012)

著 者	標 題	掲 載 誌
Torigoe H, Nakagawa O, Imanishi T, Obika S, Sasaki K	Chemical modification of triplex-forming oligonucleotide to promote pyrimidine motif triplex formation at physiological pH.	Biochimie, 94 , 1032-1040(2012)
Wada S, Hitora Y, Yokoe S, Nakagawa O, Urata H	Cellular uptake of covalent conjugates of oligonucleotide with membrane-modifying peptide, peptaibol.	Bioorg. Med. Chem., 20 , 3219-3222(2012)
Abe Y, Nakagawa O, Yamaguchi R, Sasaki S	Synthesis and binding properties of new selective ligands for the nucleobase opposite the AP site.	Bioorg. Med. Chem., 20 , 3470-3479(2012)
Kotula JW, Pratico ED, Ming X, Nakagawa O, Juliano RL, Sullenger BA	Aptamer-mediated delivery of splice-switching oligonucleotides to the nuclei of cancer cells.	Nucleic Acid Ther., 22 , 187-195(2012)
Ogawa S, Wada S, Urata H	Base recognition by L-nucleotides in heterochiral DNA.	RSC Adv., 2 , 2274-2275(2012)
Akihisa T, Motoi T, Seki A, Kikuchi T, Fukatsu M, Tokuda H, Suzuki N, Kimura Y	Cytotoxic activities and anti-tumor-promoting effects of microbial transformation products of prenylated chalcones from <i>Angelica keiskei</i> .	Chem. Biodiv., 9 , 318-330(2012)
Zhang J, Huang Y, Kikuchi T, Tokuda H, Suzuki N, Inafuku K, Miura M, Motohashi S, Suzuki T, Akihisa T	Cucurbitane triterpenoids from the leaves of <i>Momordica charantia</i> , and their cancer chemopreventive effects and cytotoxicities.	Chem. Biodiv., 9 , 428-440(2012)
Akihisa T, Tochizawa S, Takahashi N, Yamamoto A, Zhang J, Kikuchi T, Fukatsu M, Tokuda H, Suzuki N	Melanogenesis-inhibitory saccharide fatty acid esters and other constituents of the fruits of <i>Morinda citrifolia</i> (noni).	Chem. Biodiv., 9 , 1172-1187 (2012)
Kikuchi T, Zhang J, Huang Y, Watanabe K, Ishii K, Yamamoto A, Fukatsu M, Tanaka R, Akihisa T	Glycosidic inhibitors of Melanogenesis from leaves of <i>Momordica charantia</i> .	Chem. Biodiv., 9 , 1221-1230 (2012)
Akihisa T, Takeda A, Akazawa H, Kikuchi T, Yokokawa S, Ukiya M, Fukatsu M, Watanabe K	Melanogenesis-inhibitory and cytotoxic activities of diarylheptanoids from <i>Acer nikoense</i> bark and their derivatives.	Chem. Biodiv., 9 , 1475-1489 (2012)
Kikuchi T, Watanabe K, Tochigi Y, Yamamoto A, Fukatsu M, Ezaki Y, Tanaka R, Akihisa T	Melanogenesis inhibitory activity of sesquiterpenes from <i>Canarium ovatum</i> resin in mouse B16 melanoma cells.	Chem. Biodiv., 9 , 1500-1507 (2012)
Yamada T, Jinno M, Kikuchi T, Kajimoto T, Numata A, Tanaka R	Three new azaphilones produced by a marine fish-derived <i>chaetomium globosum</i> .	J. Antibiot., 65 , 413-417(2012)
Handa N, Yamada T, Tanaka R	Four new lanostane-type triterpenoids from <i>Inonotus obliquus</i> .	Phytochem. Lett., 5 , 480-485 (2012)
Yamada T, Kikuchi T, Tanaka R, Numata A	Halichobolelides B and C, potent cytotoxic macrolides from a Streptomyces species separated from a marine fish.	Tetrahedron Lett., 53 , 2842-2846 (2012)
Kitano M, Yamada T, Amagata T, Minoura K, Tanaka R, Numata A	Novel pyridino- α -pyrone sesquiterpene type pileotin produced by a sea urchin-derived Aspergillus sp.	Tetrahedron Lett., 53 , 4192-4194 (2012)
Inoue T, Nagai Y, Mitooka A, Ujike R, Muraoka O, Yamada T, Tanaka R	Carapanolides A and B: unusual 9,10-seco-mexicanolides having a 2R,9S-oxygen bridge from the seeds of <i>Carapa guianensis</i> .	Tetrahedron Lett., 53 , 6685-6688 (2012)
Tanaka Y, Sakamoto A, Inoue T, Yamada T, Kikuchi T, Kajimoto T, Muraoka O, Sato A, Wataya Y, Kim H-S, Tanaka R	Andiroolides H-P from the flower of andiroba (<i>Carapa guianensis</i> , Meliaceae).	Tetrahedron, 68 , 3669-3677 (2012)
Hirata Y, Hirata M, Kawaratani Y, Shibano M, Taniguchi M, Yasuda M, Ohmomo Y, Nagaoka Y, Baba K, Uesato S	Anti-tumor activity of new orally bioavailable 2-amino-5-(thiophen-2-yl)benzamide-series histone deacetylase inhibitors, possessing an aqueous soluble functional group as a surface recognition domain.	Bioorg. Med. Chem. Lett., 22 , 1926-1930(2012)
Song P, Sun M, Wang N, Taniguchi M, Baba K	Chemical constituents of <i>Carlesia sinensis</i> .	Chem. Nat. Compounds, 48 , 306-307(2012)

著 者	標 題	掲 載 誌
Shibano M, Misaka A, Sugiyama K, Taniguchi M, Baba K	Two secopregnane-type steroid glycosides from <i>Cynanchum stauntonii</i> (Decne.) Schltr. ex Lev.	Phytochem. Lett. 5 , 304-308 (2012)
Kimura Y, Sumiyoshi M, Taniguchi M, Baba K	Metabolites of 3'-O-acetylhamaudol isolated from <i>Angelica japonica</i> roots, and their antitumor actions.	Nat. Prod. J., 2 , 20-30 (2012)
Hirata M, Kanai Y, Naka S, Matsumuro K, Kagawa S, Yoshimoto M, Ohmomo Y	Synthesis and evaluation of radioiodinated phenoxyquinazoline and benzylaminoquinazoline derivatives as new EGF receptor tyrosine kinase imaging ligands for tumor diagnosis using SPECT.	Ann. Nucl. Med., 26 , 381-389 (2012)
Kimura H, Mori D, Harada N, Ono M, Ohmomo Y, Kajimoto T, Kawashima H, Saji H	Microwave-assisted synthesis of organometallic complexes of 99-mTc(CO)3 and Re(CO)3: its application to radiopharmaceuticals.	Chem. Pharm. Bull., 60 , 79-85 (2012)
Amano F, Tsukabe S, Teshima R, Waku K, Kohama K	Characterization of macrophage mutants established by their resistance to LPS and cycloheximide-induced apoptotic cell death.	Ad. Bioscience Biotechnol., 3 , 770-781 (2012)
Kobayashi T, Fujimori K	Very long chain-fatty acids enhance adipogenesis through co-regulation of Elovl3 and PPAR γ in 3T3-L1 cells.	Am. J. Physiol. Endocrinol. Metab., 302 , E1461-E1471 (2012)
Fukuhara A, Yamada M, Fujimori K, Miyamoto Y, Kusumoto T, Nakajima H, Inui T	Lipocalin-type prostaglandin D synthase protects against oxidative stress-induced neuronal cell death.	Biochem. J., 443 , 75-84 (2012)
Fujimori K, Maruyama T, Kamauchi S, Urade Y	Activation of adipogenesis by lipocalin-type prostaglandin D synthase-generated Δ^{12} -PGJ ₂ acting through PPAR γ -dependent and independent pathways.	Gene, 505 , 46-52 (2012)
Koike A, Kato T, Sugiura R, Yan Ma, Tabata Y, Ohmoto K, Susie O. Sio, Kuno T	Genetic screening for regulators of Prz1, a transcriptional factor acting downstream of calcineurin in fission yeast.	J. Biol. Chem., 287 , 19294-19303 (2012)
Fujimori K, Fukuhara A, Inui T, Allhorn M	Prevention of paraquat-induced apoptosis in human neuronal SH-SY5Y cells by lipocalin-type prostaglandin D synthase.	J. Neurochem., 120 , 279-291 (2012)
Yazaki M, Kashiwagi K, Aritake K, Urade Y, Fujimori K	Rapid degradation of cyclooxygenase-1 and hematopoietic prostaglandin D synthase through ubiquitin-proteasome system in response to intracellular calcium level.	Mol. Biol. Cell, 23 , 12-21 (2012)
Endo-Umeda K, Uno S, Fujimori K, Naito Y, Saito K, Yamagishi K, Jeong Y, Miyachi H, Tokiwa H, Yamada S, Makishima M	Differential expression and function of alternative splicing variants of human liver X receptor α .	Mol. Pharm., 81 , 800-810 (2012)
Fujimori K, Yano M, Ueno T	Synergistic suppression of early phase of adipogenesis by microsomal PGE synthase-1 (PTGES1)-produced PGE ₂ and aldo-keto reductase 1B3-produced PGF _{2α} .	PLoS ONE, 7 , e44698 (2012)
Sakuma S, Kitamura T, Kuroda C, Takeda K., Nakano S, Hamashima T., Kohda T, Wada S, Arakawa Y, Fujimoto Y	All-trans Arachidonic acid generates reactive oxygen species via xanthine dehydrogenase/xanthine oxidase interconversion in the rat liver cytosol <i>in vitro</i> .	J. Clin. Biochem. Nutr., 51 , 55-60 (2012)
Sakuma S, Fujisawa J, Sumida M, Tanigawa M, Inoda R, Sajihera T, Kohda T, Fujimoto Y	The involvement of mitogen-activated protein kinases in the 1 α , 25-dihydroxy-cholecalciferol-induced inhibition of adipocyte differentiation <i>in vitro</i> .	J. Nutr. Sci. Vitaminol., 58 , 1-8 (2012)
Tanaka R, Tsutsui H, Kobuchi S, Sugiura T, Yamagata M, Ohkita M, Takaoka M, Yukimura T, Matsumura Y	Protective effect of 17 β -estradiol on ischemic acute kidney injury through the renal sympathetic nervous system.	Eur. J. Pharmacol., 683 , 270-275 (2012)
Fukumoto T, Yamashita N, Tawa M, Ohkita M, Matsumura Y	Sex differences in postischemic cardiac dysfunction and norepinephrine overflow in rat heart: the role of estrogen against myocardial ischemia-reperfusion damage via an NO-mediated mechanism.	J. Cardiovasc. Pharmacol., 60 , 269-275 (2012)

教員研究業績(2012)

著 者	標 題	掲 載 誌
Fukumoto T, Tawa M, Kitada K, Yamashita N, Ohkita M, Matsumura Y	Different effects of AT1 receptor antagonist and ET(A) receptor antagonist on ischemia-induced norepinephrine release in rat hearts.	J. Cardiovasc. Pharmacol., 60 , 55-60(2012)
Kimura K, Ohkita M, Koyama M, Matsumura Y	Reduced NO production rapidly aggravates renal function through the NF- κ B/ET-1/ETA receptor pathway in DOCA-salt-induced hypertensive rats.	Life Sci., 91 , 644-650(2012)
Suzuki R, Maehara R, Kobuchi S, Tanaka R, Ohkita M, Matsumura Y	Beneficial effects of g-aminobutyric acid on right ventricular pressure and pulmonary vascular remodeling in experimental pulmonary hypertension.	Life Sci., 91 , 693-698(2012)
Ishida S, Sakamoto Y, Nishio T, Baulac S, Kuwamura M, Ohno Y, Takizawa A, Kaneko S, Serikawa T, Mashimo T	Kcnal-mutant rats dominantly display myokymia, neuromyotonia and spontaneous epileptic seizures.	Brain Res., 1435 , 154-166(2012)
Baulac S, Ishida S, Mashimo T, Boillot M, Fumoto N, Kuwamura M, Ohno Y, Takizawa A, Aoto T, Ueda M, Ikeda A, LeGuern E, Takahashi R, Serikawa T	A rat model for LGI1-related epilepsies.	Hum. Mol. Gen., 21 , 3546-3557 (2012)
Ohno Y, Okano M, Masui A, Imaki J, Egawa M, Yoshihara C, Tatara A, Mizuguchi Y, Sasa M, Shimizu S	Region-specific elevation of D1 receptor-mediated neurotransmission in the nucleus accumbens of SHR, a rat model of attention deficit/hyperactivity disorder.	Neuropharmacology, 63 , 547-554 (2012)
Ohno Y, Okumura T, Terada R, Ishihara S, Serikawa T, Sasa M	Kindling-associated SV2A expression in hilar GABAergic interneurons of the mouse dentate gyrus.	Neurosci. Lett., 510 , 93-98 (2012)
Tatara A, Shimizu S, Shin N, Sato M, Sugiuchi T, Imaki J, Ohno Y	Modulation of antipsychotic-induced extrapyramidal side effects by medications for mood disorders.	Prog. Neuro - Psychopharmacol. Biol. Psychiatry, 38 , 252-259 (2012)
Iwanaga K, Arimune K, Miyazaki M, Shibano M, Taniguchi M, Baba K, Kakemi M	Effects of Furanocoumarins in Kampo Extract Medicines on Rat Intestinal Absorption of CYP3A and P-glycoprotein Substrate Drugs in Vivo.	Arch. Pharm. Res., 35 , 1055-1064 (2012)
Shimizu R, Miyazaki M, Iwanaga K, Kakemi M	The pharmacokinetic-pharmacodynamic assessment of the hypotensive effect after coadministration of losartan and hydrochlorothiazide in spontaneously hypertensive rats.	Drug Metab. Pharmacokinet., 27 , 207-215(2012)
Iwanaga K, Kawai M, Miyazaki M, Kakemi M	Application of organogels as oral controlled release formulations of hydrophilic drugs.	Int. J. Pharm., 436 , 869-872 (2012)
Murata M, Nakano K, Tahara K, Tozuka Y, Takeuchi H	Pulmonary Delivery of Elcatonin Using Surface-Modified Liposomes to Improve Systemic Absorption: Polyvinyl Alcohol with a Hydrophobic Anchor and Chitosan Oligosaccharide as Effective Surface Modifiers.	Eur. J. Pharm. Biopharm., 80 , 340-346(2012)
Tozuka Y, Higashi K, Morita T, Nishikawa M, Uchiyama H, Zhang J, Moribe K, Nishikawa K, Takeuchi H, Yamamoto K	Transglycosylated Rutin-Specific Non-Surface-Active Nanostructure Affects Absorption Enhancement of Flurbiprofen.	Eur. J. Pharm. Biopharm., 82 , 120-126(2012)
Uchiyama H, Tozuka Y, Nishikawa M, Takeuchi H	Nanocomposite Formation Between Alpha-glucosyl Stevia and Surfactant Improves the Dissolution Profile of Poorly Water-Soluble Drug.	Int. J. Pharm., 428 , 183-186 (2012)
Fujisawa T, Miyai H, Hironaka K, Tsukamoto T, Tahara K, Tozuka T, Ito M, Takeuchi H	Liposomal Diclofenac Eye Drops Formulation Targeting Retina: Formulation Stability Improvement using Surface Modification of Liposomes.	Int. J. Pharm., 436 , 564-567 (2012)
W. Limwirkant, M. Osada, K. Higashi, Y. Tozuka, K. Moribe, K. Yamamoto	Unique Indomethacin Nanoparticles Formation by Cogrinding with Dextrin Under Defined Moisture Conditions.	Powder Tech., 221 , 213-219 (2012)

著 者	標 題	掲 載 誌
Komatani-Tamiya N, Daikoku E, Takemura Y, Shimamoto C, Nakano T, Iwasaki Y, Kohda Y, Matsumura H, Marunaka Y, Nakahari T	Procaterol-stimulated increases in ciliary bend amplitude and ciliary beat frequency in mouse bronchioles.	Cell. Physiol. Biochem., 29 , 511-522(2012)
下平美智代, 石川雅也, 石垣達也, 田村博之, 幸田祐佳, 松村人志	抗精神病薬治療に対する主観的反応の評価尺度の作成とその臨床的意義	臨床精神医学, 41 , 777-786 (2012)
Kobayashi T, Hirose J, Sano K, Kato R, Ijiri Y, Takiuchi H, Tanaka K, Goto E, Tamai H, Nakano T	Application of electrolysis for detoxification of an antineoplastic in urine.	Ecotox Environ Safe, 78 , 123-127 (2012)
Urashima Y, Kayano E, Kato R, Ijiri Y, Tanaka K	Effects of gastric pH mitiglinide absorption (Cmax and Tmax).	Jpn J. Ther. Drug Monit., 29 , 41-46(2012)
Hirano M, Ogita-Nakanishi H, Miyachi W, Hannya N, Yamamoto-Kimoto Y, Sakurai K, Miyoshi-Higashino M, Tashiro-Yamaji J, Kato R, Ijiri Y, Tanaka K, Kanazawa A, Terada T, Kawata R, Takenaka H, Kubota T, Yoshida R	Essential role of macrophages in the initiation of allergic rhinitis in mice sensitized intranasally once with cedar pollen: regulation of class switching of immunoglobulin in B cells by controlling interleukin-4 production in T cells of submandibular lymph nodes.	Microbiol. Immunol., 56 , 392-405(2012)
Arai M, Ogita-Nakanishi H, Lee K, Yoshimura K, Kawata R, Kanazawa A, Terada T, Takenaka H, Sato T, Endo Y, Kato R, Ijiri Y, Tanaka K, Tashiro-Yamaji J, Kubota T, Yoshida R	Role of cytokines in lavage or drainage fluid after hemithyroidectomy in wound healing: Involvement of histamine in the acceleration and delay of wound healing.	Wound Rep. Reg., 20 , 158-165 (2012)
Kato R, Higashitani A, Irie T, Kusukawa Y, Yamamoto Y, Nakagawa M, Urashima Y, Nagata M, Hayashi T, Ijiri Y, Tanaka K	Influence of capsaicin on fluctuation of digoxin pharmacokinetics in lipopolysaccharide-treated rats.	Xenobiotica 42 , 798-807(2012)
Miyachi K., Kurokawa H., Moriyama K., Morimoto S., Tabuse K., Asano M., Yamaguchi T. , Fujita Y	Spectrophotometric Determination of Micro Amounts of Albumin Using Zirconium(IV) and Xylenol Orange	Chem. Lett., 41 , 58-59(2012)
Sugimoto K, Onda M, Hashimoto S, Matsumura Y, Zhang Q, Fujino Y, Tomono K, Awakawa Y.	Factors Affecting the Effect of Treatment of VCM Based on the Quantity of MRSA for Hospital-Acquired Pneumonia.	Jpn. J. Drug Inform., 14 , 105-109 (2012)
Nanaumi Y, Onda M, Mukai Y, Tanaka R, Tsubota K, Matoba S, Tanaka Y, Arakawa Y	Factors Related to Medication Adherence of Cognitively Impaired Patients in Community Pharmacy.	Pharmacol. Pharm., 3 , 376-388 (2012)
廣谷芳彦, 八十永理, 的場俊哉, 池田賢二, 恩田光子, 川瀬雅也, 名徳倫明	A Research Survey on Implementation Situation of Home Medical Care, Pharmacists' Attributes and Opinions in Community Pharmacies.	医療薬学, 38 , 371-378(2012)
的場俊哉, 恩田光子, 三原 愛, 岡本昌樹, 藤井睦子, 森川祥彦, 荒川行生	The Correlated Factors with Consumers' Cough and Phlegm Knowledge and OTC Drug Selection in Self-medication.	社会薬学, 31 , 31-40(2012)
廣谷芳彦, 八十永理, 川瀬雅也, 恩田光子, 三田康子, 池田賢二, 名徳倫明	Survey on Usage of Generic Drugs and Awareness of Community Pharmacists After the Revised Dispensing Service Fee of 2010.	ジェネリック研究, 6 , 13-19 (2012)
七海陽子, 的場俊哉, 恩田光子, 田中理恵, 坪田賢一, 向井裕亮, 櫻井秀彦, 早瀬幸俊, 荒川行生	A Pilot Study into the Attribute of Patients Who Use Pharmacists' Home-visiting and Factors Related to Adherence among Patients Taking Medication for Dementia.	薬学雑誌, 132 , 387-393(2012)
Amagata T, Xiao J, Chen YP, Holsapple N, Oliver AG, Gokey T, Guliaev AB, Minoura K	Creation of an HDAC-Based Yeast Screening Method for Evaluation of Marine-Derived Actinomycetes: Discovery of Streptosetin A.	J. Nat. Prod., 75 , 2193-2199 (2012)

教員研究業績(2012)

2. 総説, 他

著 者	標 題	掲 載 誌
藤田芳一	化学教育と分析化学	ぶんせき, 2012(4), 181(2012)
宮本勝城	薬学をめぐる状況－大阪薬科大学	日本香粧品学会誌, 36, 159-160 (2012)
Juliano RL, Ming X, Nakagawa O	The chemistry and biology of oligonucleotide conjugates.	Acc. Chem. Res., 45, 1067-1076 (2012)
Juliano RL, Ming X, Nakagawa O	Cellular uptake and intracellular trafficking of antisense and si-RNA oligonucleotides.	Bioconjug. Chem., 23, 147-157 (2012)
Wada S, Hashimoto Y, Tsuda H, Nakagawa O, Urata H	Designed Aib-containing amphipathic helix peptide for oligonucleotide delivery into cells.	Peptide Sci., 235-236(2012)
和田俊一	天然由来 Aib 含有ペプチドの核酸医薬への応用	ペプチドニュースレター 第85号(日本ペプチド学会), 9-13(2012)
Azuma T, Nakada N, Yamashita N, Tanaka H	Occurrence and Behavior of Oseltamivir and its Active Metabolite Oseltamivir Carboxylate, Zanamivir and Amantadine in the Yodo River Basin, Japan.	SETAC Asia/Pacific 2012, Learning from History and Applying Advancing Science to Build a Safer and Sustainable Environment (Data in USB) (2012)
東 剛志, 田中宏明	河川環境に流出する抗インフルエンザ薬成分の環境動態 －下水処理場における高度処理の重要性－	安全工学, 51(5), 282-289 (2012)
平田雅彦	新規 SPECT 用 ^{99m} Tc 標識分子イメージング薬剤の合成	PET Journal, 20, 16-18(2012)
Fujimori, K	Prostaglandins as PPAR γ modulators in adipogenesis.	PPAR Res., Article ID 527607 (2012)
藤森 功	脂質メディエーターと代謝疾患	内藤記念科学振興財団時報 第90号, 50(2012)
藤森 功	脂質メディエーターによる肥満初期の進展制御機構の解明	日本応用酵素協会誌 47, 52 (2012)
Ohkita M, Tawa M, Kitada K, Matsumura Y	Pathophysiological roles of endothelin receptors in cardiovascular diseases.	J. Pharmacol. Sci., 119, 302-313 (2012)
Kohda Y, Tanaka T, Matsumura H	Effect of thiamine repletion on cardiac fibrosis and protein O-glycosylation in diabetic cardiomyopathy.	J. Diabetes Metab., S7:001 (2012)
恩田光子, 田中有香	プライマリ・ケアにおける医師と薬剤師の連携 —Collaborative Pharmacy Practice によるハイリスク薬管理—	薬局薬学, 4, 48-53(2012)

3. 解 説

著 者	標 題	掲 載 誌
Hayashi T, Yoshioka T, Hasegawa K, Miyamura M, Mori T, Ukimura A, Matsumura Y, Ishizaka N	Inhalation of hydrogen gas attenuates left ventricular remodeling induced by intermittent hypoxia in mice.	Medical Gases Information Files, 11, 29(2012)
加藤隆児, 井尻好雄	オンプレス吸入用カプセル150 μ g(インダカテロールマレイン酸塩)	調剤と情報, 18, 909-926 (2012)
加藤隆児, 井尻好雄, 林 哲也	イグザレルト錠10mg, 15mg(リバーロキサバン)	調剤と情報, 18, 1707-1712 (2012)
恩田光子	飲み合わせ Case study このまま出して、大丈夫？ 医療用医薬品×etc.(vol.7)	Credentials, 41号, 41-42(2012)

著 者	標 題	掲 載 誌
恩田光子	飲み合わせ Case study このまま出して、大丈夫？ 医療用医薬品×etc.(vol.8)	Credentials, 43号, 39-40(2012)
恩田光子	飲み合わせ Case study このまま出して、大丈夫？ 医療用医薬品×etc.(vol.9)	Credentials, 45号, 33-34(2012)
恩田光子	飲み合わせ Case study このまま出して、大丈夫？ 医療用医薬品×etc.(vol.10)	Credentials, 47号, 49-50(2012)
荒川行生	研究室紹介－医療・臨床現場と連携できる教育・研究体制の確立がテーマです	日本病院薬剤師会雑誌, 48, 899-901(2012)
恩田光子, 田中有香	生活習慣病の治療管理における薬剤師の役割	日本薬剤師会雑誌, 64, 623-627(2012)
恩田光子	患者背景と生活環境を考慮した在宅での薬学管理－服薬管理能力－	薬局, 63, 2909-2914(2012)
木村捷二郎, 山沖留美	化学共沈操作による放射性汚染水処理の基礎化学	環境技術, 41, 338-344(2012)

4. 紀 要

著 者	標 題	掲 載 誌
宇佐美吉英, 市川隼人	天然ピラゾールアルカロイド withasomnine 類の合成研究	大阪薬科大学紀要, 6, 71-84 (2012)
釘山直子, 岩永一範, 宮崎 誠, 掛見正郎	抗リウマチ薬の関節内投与のための最適製剤設計に関する基 本的検討	大阪薬科大学紀要, 6, 51-60 (2012)
長船芳和, 佐藤健太郎, 鈴木芳郎, 新田 剛, 花山加代子, 長谷川健 次, 田中有香, 恩田光子	実施報告 平成22年度大阪薬科大学実務実習伝達・報告会	大阪薬科大学紀要, 6, 107-125 (2012)
藤嶺美穂代	有機化学実験のための易しいマススペクトロメトリー	大阪薬科大学紀要, 6, 85-106 (2012)
楠瀬健昭	今, 世界は	とい, XXXI, 5(2012)
スマス山下朋子	薬学系大学生の英語学習に対する意識：学部生を対象とする アンケート調査から	大阪薬科大学紀要, 6, 41-47 (2012)
スマス山下朋子, 増橋淑子, 大谷 晋也	アメリカ合衆国における医療通訳事情調査報告	大阪大学留学生センター研究 論集 多文化社会と留学生交流, 16, 19-28(2012)
阪本恭子	これから家族と介護の関わり—ドイツ・家族介護期間法	大阪大学医学系研究科・医の 倫理『医療・生命と倫理・社会』, 11号, 102-110(2012)
蘭部正人, 種市和香子, 小川喜道, 渡邊紳一, 当麻成人, 高橋勝美	高齢者におけるフットタッピング動作による足底屈および足 背屈最大筋力の簡易推定法の提案	神奈川体育学会体育研究, 46号, 22-26(2012)
Nagata M.	On a certain symmetric property in the geometry of numbers.	大阪薬科大学紀要, 6, 37-39 (2012)

5. 著 書

著 者	標 題	掲 載 誌
谿 忠人, 播磨章一, 吉川雅之, 松田久司, 野原稔弘, 藤原章雄, 波多野力, 中村誠宏, 黒田明平, 三巻祥浩, 堀 一之, 高橋砂織, 田邊元三, 森川敏生, 二宮清文, 正山征洋, 村田和也, 松田秀秋, 下田博司, 角谷晃司, 石黒京子, 奥 尚枝, 増田めぐみ, 田中麗子, 太田富久, 村岡 修, 池上文雄, 塚越 覚, 阿部友美, 新藤 智, 松原紀嘉, 渡辺 均	カバノアナタケ (チャーガ) の有効性	食品薬学の開発Ⅱ—薬用・有用植物の機能性食品素材への応用— p227-237, シーエムシー出版(2012)
天野富美夫	第3章 食中毒	スタンダード薬学シリーズ5 「健康と環境」 第2版 SBO19.SBO20, 東京化学同人(東京)(2012)
Ohno Y, Tatara A, Shimizu S, Sasa M	Management of cognitive impairments in schizophrenia: The therapeutic role of 5-HT receptors.	“Schizophrenia Research: Recent Advances” edited by T. Sumiyoshi, Nova Science Publishers, Inc., NY pp. 323-338(2012)
Sasa M., Ohno Y	Serotonin-Diverse physiological functions and related drugs-.	“Serotonin - Diverse physiological functions and related drugs-” . pp. 1-15, Life Science Publishing Co. Ltd., Tokyo(2012)
岩永一範	第4章 剤形修飾による難吸収性薬物の消化管ならびに経粘膜吸収改善	難吸収性薬物の吸収性改善と新規投与製剤の開発 第4章, 1 26-132, 株式会社シーエムシー出版(2012)
Kohda Y, Tanaka T, Matsumura H	Role of thiamine in obesity-related diabetes: Modification of the gene expression.	Food and Nutritional Components in Focus No.4 B Vitamins and Folate: Chemistry, Analysis, Function and Effects. The Royal Society of Chemistry, 580-591(2012)
青木達哉, 島本史夫, 他	第106回医師国家試験問題解説	第106回医師国家試験問題解説書(2012)
青木達哉, 島本史夫, 高木 融	医師国家試験問題解説 (消化管・腹壁・腹膜疾患)	医師国家試験既出問題集サクセス 2013, Level I : 2-342, Level II : 2-111, Level III : 382-399(2012)
青木達哉, 島本史夫, 他	CBT オリエンテーション (第4版)	CBT こあかり 1 (2012)
井尻好雄, 加藤隆児, 田中一彦	II章 Chapter1 循環器でよく使う薬	服薬指導・看護に役立つ よくわかる治療薬ブック 38-74(2012)
加藤隆児, 井尻好雄, 田中一彦	III章 Chapter5 ショック治療 (心肺蘇生) によく使う薬	服薬指導・看護に役立つ よくわかる治療薬ブック 329-333(2012)
石津 隆, 恩田光子, 神村英利, 木方 正, 小竹 武, 佐藤拓夫, 田中大三, 中村武夫, 濱口常男, 早瀬幸俊, 丸山徳見, 八木直美, 安田一郎	第5章 (医療と経済:国民医療費), 第12章 (医療法), 第13章 (医師法・歯科医師法・保健師助産師看護師法)	わかりやすい薬事関係法規・制度(第2版), 40-43, 311-317, 318-319(2012)

6. 特許

著者	標題	特許番号
Sasaki S, Nakagawa O, Li Z, Takaki A, Saitoh S	Method for quantitatively detecting 8-oxo-2'-deoxyguanosine in aqueous sample solution with high sensitivity, and fluorescent probe molecule.	Patent No. WO 2012133306(2012)
Murakami S, Nakagami J, Baba K, Kawada T, Takahashi N, Nishimura K	Adipocyte differentiation promoting compositions containing Apiaceae-derived coumarin derivatives	JP 2012153625 A 0120816(2012)
大桃善朗, 平田雅彦	4-フェノキシキナゾリン誘導体放射性化合物	特許第4945133号(2012)